

Notice of Allowability

Application No.

09/494,156

Examiner

Jeffrey A. Smith

Applicant(s)

FITZGERALD ET AL.

Art Unit

3625

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to Amendment filed 12/22/05.
2. ☒ The allowed claim(s) is/are 5-16.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.


THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date _____
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____


Jeffrey A. Smith
Primary Examiner
Art Unit: 3625

Art Unit: 3625

REASONS FOR ALLOWANCE

The following is an examiner's statement of reasons for allowance:

Regarding claim 5

The prior art of record neither anticipates nor fairly and reasonably teaches an interactive method for on-line selection of an air conditioning product, comprising, *inter alia*, the steps of: transforming an intended use location area into an initial acceptable BTU capacity for the intended use location area; obtaining further intended use location information from the consumer; determining a correction factor from the further intended use location information; and applying the correction factor to the initial acceptable BTU capacity so as to obtain a corrected acceptable BTU capacity.

The most remarkable prior art of record is to "Air Conditioners Are More Than Cool Air", PR Newswire, July 23, 1998 (author unknown) (hereafter: "PR Newswire").

Art Unit: 3625

PR Newswire discloses many steps which are similarly recited in claim 5, however, there is no factual support in the fair teachings of this reference that makes obvious the above noted steps. Any finding as such would have rested on unfounded speculation as to how the intended use factors discussed by PR Newswire might be utilized to select a suitable air conditioner.

Moreover, none of the additional prior art of record remedies the deficiencies noted in PR Newswire.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.


Kaneko (JP 60195630 A) discloses the maintenance of an information processing system under an operable condition at the time of business commencement.

Art Unit: 3625

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jeffrey A. Smith whose telephone number is (571) 272-6763. The examiner can normally be reached on M-F 6:30am-6:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert M. Pond can be reached on 571-272-6760. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


Jeffrey A. Smith
Primary Examiner
Art Unit 3625

jas